

- •The Scrubbing meeting is planned for Nov 23-24 at BNL
  - •This is an exercise that should give the NSF some information about what scope of project we are proposing, how much it costs, and who would be involved
  - •The projects won't be exactly the final projects as the designs and budget will evolve over time
- LI Global is assumed to include
  - Data Aggregator
  - Event Processing Board
- •The proposed US contributions are for
  - DOE funded data aggregator at a lab
  - NSF funded firmware and support at universities



#### This discussion is focused on the firmware

- •It is probably too costly in core for the US to take on a major part of the processor design in addition to the Aggregator board
- •If smaller control board needs emerge during the design this could be revisited
- LI Global Algorithm needs are very extensible
  - •Some what like the current LI Topo, one can add more and more algorithms
  - •Some "core" algorithms are clearly needed that seem to be the focus of US interest:
    - Topological clustering: Oregon, MSU
    - •Jet finding/Fat-jet discrimination/HT/MHT/4-jet: Chicago, Indiana, LSU, Pitt
    - •Penn (not a planned LI Global contributor) has been doing studies of using tracking to reduces the pile-up in 4-jets (one of the core LI track arguments)



Firmware in what? FPGA vs GPU not determined

#### From current IDR text:

Some of the jet algorithms are well suited to implementation on conventional FPGA. The Rol-based algorithms and the more iterative jet algorithms would rather suit a GPU (as CUDA-based kernels) or possibly OpenCL-based kernels again on FPGA.


There would need to be some form of processor for overall management.

Possible implementations therefore range from:

- a PC blade with a commercial PCIe GPU card and custom FPGA card, were GPU to be the best kernel system,
- a dual FPGA module with embedded processor, where such a system could have significantly more I/O between the FPGA than is possible over PCIe.



How do we determine a set of algorithms/tasks:




We don't have a fixed set of algorithms/tasks We don't have a fixed budget

• ... we do have have a ball park number from the JOG review

I suggest we make up a draft list of algorithms/tasks, with some contingent scope that Jinlong and I can bring to the scrubbing meeting



How do we determine a set of algorithms/tasks:



We don't have a fixed set of algorithms/tasks We don't have a fixed budget

• ... we do have have a ball park number from the JOG review

I suggest we make up a draft list of algorithms/tasks, with some contingent scope that Jinlong and I can bring to the scrubbing meeting



More complexity...

A single level trigger option with I MHz readout to the HLT will be added to the IDR draft

•In principle this removes the need for the LI Global

Several people are proposing to instead migrate the L1 Global a new L0 Global to improves hadronic triggering and topological trigger flexibility

Impact: 40 times more data, a few times faster, with simpler algorithms (and presumably more hardware)



"Basis of Estimate" (BoE)

• Official document that describes how we come up with cost numbers

Eventually (late-Dec?) we will have a BoE for each deliverable

• This will need to include institute specific costs and manpower estimates

Short-term we will try to prepare a BoE assuming uniform costs

• Will try to include varying scope and priorities so that we can discuss the budget balance in the scrubbing meeting (Nov 23-24)